




RESATEC spanelementen Prijslijst 2010



Prijzen in Euro, exclusief BTW.
Wijzigingen/zetfouten voorbehouden.
Overige prijzen op aanvraag (o.a.).
Versie: RP/DO 01-06-2010


Prijslijst RESATEC spanelementen 2010 NL

Resatec spanner type TE




Type	Artikelnummer Spruit	Prijs per stuk €	A ₁	A ₂	B	C	ØD	E	F	G	H	M	P	S	F in [N] van 0-30° A ₁	A ₂	Kg.
TE 2	270RETE2	22,00	80	60	52	20	8,5	35	38	5	90	M6	8	16	0 - 90	0 - 110	0,20
TE 3	270RETE3	27,87	100	80	63	25	10,5	46	48	5	112,5	M8	8,5	21	0 - 140	0 - 170	0,45
TE 4	270RETE4	33,73	100	80	78	30	10,5	56	59	6	115	M10	8,5	25	0 - 320	0 - 430	0,68
TE 5	270RETE5	61,60	130	100	108	50	12,5	72	76	8	155	M12	10,5	32	0 - 820	0 - 1050	1,95
TE 6	270RETE6	105,60	175	140	140	60	20,5	93	97	10	205	M16	12,5	41	0 - 1500	0 - 1880	3,70
TE 7	270RETE7	149,60	220	175	198	70	20,5	112	12,5	51	255	M20	12,5	51	0 - 2500	0 - 3200	6,50
TE8	270RETE8	381,33	250	200	212	80	20,5	130	17	52	290	M24	12,5	51	0 - 3900	0 - 4900	8,65

Resatec spanner type TE-FB



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	K	I	R	S	T	Kg.
TE 3 FB	270RETE3FB	38,13	100	63	10	5	20	13	M6	0,48
TE 4 FB	270RETE4FB	46,93	100	78	12	6	13	17	M8	0,74
TE 5 FB	270RETE5FB	83,60	130	108	15	8	15	17	M10	1,95
TE 6 FB	270RETE6FB	146,67	175	140	17	10	17	15	M12	3,90
TE 7 FB	270RETE7FB	205,33	220	198	18	12	23	34	M16	6,80
TE 8 FB	270RETE8FB	440,00	250	212	20	20	28	38	M20	9,30

Resatec RVS spanner type TE-I



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	H	K	H	ØT	M	F in [N] van 0-32°	Kg.
TE-I 2	270RETE2RF	41,07	80	52	20	8,5	38	8	16	7	90	38	M6	0 - 90	0,21
TE-I 3	270RETE3RF	52,80	100	110	64	10,5	5	10	22	9	110	50	M8	0 - 140	0,40
TE-I 4	270RETE4RF	82,13	100	112	79	10,5	6	10	25	8,5	112	60	M10	0 - 320	0,70
TE-I 5	270RETE5RF	146,67	130	112	105	12,5	8	12	35	10,5	112	80	M12	0 - 820	1,70
TE-I 6	270RETE6RF	O.A.	175	155	135	20,5	10	15	44	12,5	155	100	M16	0 - 1500	4,20
TE-I 7	270RETE7RF	O.A.	220	205	198	20,5	12	20	54	12,5	205	120	M20	0 - 2500	6,50


O.A. = op aanvraag

Resatec Afstandbussen voor KS Spanwielen

Type	Artikelnummer Spruit	Prijs per stuk €
DB 0 KS 3/8" -10	270REDB0	0,43
DB 1 KS 1/2" -10	270REDB1	1,74
DB 2 KS 1/2" -12	270REDB2	1,01
DB 3 KS 5/8" -12	270REDB3	2,03
DB 4 KS 5/8" -20	270REDB4	2,31
DB 5 KS 3/4" -12	270REDB5	1,88
DB 6 KS 3/4" -20	270REDB6	3,47
DB 7 KS 1" -20	270REDB7	4,34
DB 8 KS 1 1/4" -20	270REDB8	5,79
DB 9 KS 1 1/2" -20	270REDB9	6,37


Simplex

Type	Artikelnummer Spruit	Prijs per stuk €	ISO	Z tanden	ØA	B1	C	D	E	Kg.	Passend op:
KS 3/8" x 7/32"	270REKS06B10	23,03	06B-1	15	46	9	5,7	M10	60	0,15	TE 4
KS 1/2" x 5/16"	270REKS08B10	23,76	08B-1	15	61	9	7,2	M10	60	0,20	TE 4
KS 1/2" x 5/16"	270REKS08B12	29,04	08B-1	15	61	12	7,2	M12	80	0,23	TE 5
KS 5/8" x 3/8"	270REKS10B12	32,85	10B-1	15	76	12	9,1	M12	80	0,37	TE 5
KS 5/8" x 3/8"	270REKS10B20	47,81	10B-1	15	76	15	9,1	M20	120	0,70	TE 7
KS 3/4" x 7/16"	270REKS12B12	38,43	12B-1	15	92	12	11,5	M12	80	0,60	TE 5
KS 3/4" x 7/16"	270REKS12B20	53,97	12B-1	15	92	15	11,5	M20	120	0,90	TE 7
KS 1" x 17,02 mm	270REKS16B20	70,40	16B-1	13	106	15	16,2	M20	120	1,30	TE 7
KS 1 1/4" x 3/4"	270REKS20B20	103,25	20B-1	13	133	15	18,5	M20	140	2,05	TE 7
KS 1 1/2" x 1"	270REKS24B20	126,72	24B-1	11	135	15	24,1	M20	160	2,40	TE 7


Simplex
Duplex


Type	Artikelnummer Spruit	Prijs per stuk €	ISO	Z tanden	ØA	B2	C	D	E	Type afstand bus	Kg.	Passend op:
KSD 3/8" x 7/32"	270REKSD06B10	46,49	06B-2	15	46	19,2	5,7	M10	60	DB0	0,30	TE 4
KSD 1/2" x 5/16"	270REKSD08B10	51,04	08B-2	15	61	22,9	7,2	M10	60	DB1	0,40	TE 4
KSD 1/2" x 5/16"	270REKSD08B12	59,11	08B-2	15	61	26,0	7,2	M12	80	DB2	0,46	TE 5
KSD 5/8" x 3/8"	270REKSD10B12	67,76	10B-2	15	76	28,6	9,1	M12	80	DB3	0,74	TE 5
KSD 5/8" x 3/8"	270REKSD10B20	97,97	10B-2	15	76	31,5	9,1	M20	120	DB4	1,40	TE 7
KSD 3/4" x 7/16"	270REKSD12B12	82,57	12B-2	15	92	31,5	11,5	M12	80	DB5	1,20	TE 5
KSD 3/4" x 7/16"	270REKSD12B20	111,47	12B-2	15	92	34,5	11,5	M20	120	DB6	1,80	TE 7
KSD 1" x 17,02 mm	270REKSD16B20	145,20	16B-2	13	106	46,9	16,2	M20	120	DB7	2,60	TE 7
KSD 1 1/4" x 3/4"	270REKSD20B20	212,37	20B-2	13	133	51,5	18,5	M20	140	DB8	4,10	TE 7
KSD 1 1/2" x 1"	270REKSD24B20	259,89	24B-2	11	135	63,4	24,1	M20	160	DB9	4,80	TE 7

* Prijzen zijn inclusief afstandsbus



Duplex
Triplex

Type	Artikelnummer Spruit	Prijs per stuk €	ISO	Z tanden	ØA	B2	C	D	E	Type afstand bus	Kg.	Passend op:
KST 3/8" x 7/32"	270REKST06B10	69,96	06B-3	15	46	19,2	5,7	M10	60	DB0	0,45	TE 4
KST 1/2" x 5/16"	270REKST08B12	73,33	08B-3	15	61	26,0	7,2	M12	80	DB2	0,69	TE 5
KST 5/8" x 3/8"	270REKST10B12	102,67	10B-3	15	76	28,6	9,1	M12	80	DB3	1,11	TE 5
KST 5/8" x 3/8"	270REKST10B20	148,13	10B-3	15	76	31,5	9,1	M20	120	DB4	2,10	TE 7
KST 3/4" x 7/16"	270REKST12B20	168,96	12B-3	15	92	34,5	11,5	M20	120	DB6	2,70	TE 7
KST 1" x 17,02 mm	270REKST16B20	220,00	16B-3	13	106	46,9	16,2	M20	120	DB7	3,90	TE 7
KST 1 1/4" x 3/4"	270REKST20B20	321,49	20B-3	13	133	51,5	18,5	M20	140	DB8	6,15	TE 7
KST 1 1/2" x 1"	270REKST24B20	393,07	24B-3	11	135	63,4	24,1	M20	160	DB9	7,20	TE 7

* Prijzen zijn inclusief afstandsbus



Triplex

Resatec complete kettingspanners type TEKS (ongemonteerd)



Simplex


Type	Artikelnummer Spruit	Prijs per stuk €	ISO	Z tanden	Swingarm	A	B	Kg.	Spanwiel aanduiding	Swingarm
TEKS 3	270RETE4KS06B10	50,89	06B-1	15	TE 4	20 ÷ 50	M10	0,60	3/8" x 7/32"	TE3
TEKS 3	270RETE4KS08B10	78,91	08B-1	15	TE 4	20 ÷ 50	M10	0,65	1/2" x 5/16"	TE3
TEKS 5	270RETE5KS10B12	94,45	10B-1	15	TE 5	26 ÷ 67	M12	2,32	5/8" x 3/8"	TE5
TEKS 5	270RETE5KS12B12	100,03	12B-1	15	TE 5	26 ÷ 67	M12	2,55	3/4" x 7/16"	TE5
TEKS 6	270RETE6KS16B20	176,00	16B-1	13	TE 6	37 ÷ 102	M20	5,00	1" x 17,02 mm	TE6
TEKS 7	270RETE7KS20B20	252,85	20B-1	13	TE 7	39 ÷ 122	M20	8,55	1 1/4" x 3/4"	TE7
TEKS 7	270RETE7KS24B20	276,32	24B-1	11	TE 7	39 ÷ 142	M20	8,90	1 1/2" x 1"	TE7



Duplex

Type	Artikelnummer Spruit	Prijs per stuk €	ISO	Z tanden	Swingarm	A	B	Kg.	Spanwiel aanduiding	Swingarm
TEKSD 3	270RETEKSD3/06B	74,36	06B-2	15	TE 4	25 ÷ 44	M10	0,65	3/8" x 7/32"	TE3
TEKSD 4	270RETEKSD4/08B	83,60	08B-2	15	TE4	27 ÷ 43	M10	1,15	1/2" x 5/16"	TE3
TEKSD 5	270RETEKSD5/10B	129,21	10B-2	15	TE 5	34 ÷ 59	M12	2,55	5/8" x 3/8"	TE5
TEKSD 5	270RETEKSD5/12B	140,36	12B-2	15	TE 5	36 ÷ 57	M12	3,00	3/4" x 7/16"	TE5
TEKSD 6	270RETEKSD6/16B	249,92	16B-2	13	TE 6	52 ÷ 86	M20	5,80	1" x 17,02 mm	TE6
TEKSD 7	270RETEKSD7/20B	360,51	20B-2	13	TE 7	57 ÷ 104	M20	10,10	1 1/4" x 3/4"	TE7
TEKSD 7	270RETEKSD7/24B	407,44	24B-2	11	TE 7	63 ÷ 118	M20	10,75	1 1/2" x 1"	TE7


* Prijzen zijn inclusief afstandsbus




Triplex

Type	Artikelnummer Spruit	Prijs per stuk €	ISO	Z tanden	Swingarm	A	B	Kg.	Spanwiel aanduiding	Swingarm
TEKST 5	270RETEKST5/08B	113,81	08B-3	15	TE 5	40 ÷ 53	M12	2,45	1/2" x 5/16"	TE5
TEKST 5	270RETEKST5/10B	163,97	10B-3	15	TE 5	53 ÷ 85	M20	4,95	5/8" x 3/8"	TE5
TEKST 5	270RETEKST5/12B	180,69	12B-3	15	TE 5	56 ÷ 83	M20	5,20	3/4" x 7/16"	TE5
TEKST 6	270RETEKST6/16B	323,84	16B-3	13	TE 6	70 ÷ 70	M20	9,40	1" x 17,02 mm	TE6
TEKST 7	270RETEKST7/20B	468,16	20B-3	13	TE 7	75 ÷ 86	M20	11,70	1 1/4" x 3/4"	TE7
TEKST 7	270RETEKST7/24B	538,56	24B-3	11	TE 7	87 ÷ 94	M20	12,70	1 1/2" x 1"	TE7

* Prijzen zijn inclusief afstandsbus

Resatec spanrollen type RE



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	Kg.	Passend op
RE 2	270RERE2	24,64	35	3,0	51	30	M8	0,1	TE 3
RE 3	270RERE3/4	30,51	45	6,0	67	40	M10	0,2	TE 4
RE 4	270RERE3/4	30,51	45	6,0	67	40	M10	0,2	TE 4
RE 5	270RERE5	56,32	60	7,5	89	60	M12	0,4	TE 5
RE 6	270RERE6	100,03	90	9,0	127	80	M20	1,20	TE 7
RE 7	270RERE7	150,19	135	7,0	167	80	M20	1,70	TE 7

Resatec complete spanners type RE (ongemonteerd)




Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	Kg.	Swingarm
TERE 2	270RETE2/RE2	46,64	61	43	80	30	35	0,3	TE 2
TERE 3	270RETE3/RE4	58,38	70	56	100	40	45	0,6	TE 3
TERE 3	270RETE3/RE3	58,38							TE 3
TERE 4	270RETE4/RE4	64,25	88	57	100	40	45	0,9	TE 4
TERE 4	270RETE4/RE3	64,25							TE 4
TERE 5	270RETE5/RE5	117,92	122	76	130	60	60	2,3	TE 5
TERE 6	270RETE6/RE6	205,63	158	109	175	80	90	4,90	TE 6
TERE 6	270RETE6/RE7	255,79							TE 6
TERE 7	270RETE7/RE7	299,79	211	154	220	80	135	8,20	TE 7

Resatec glijprofiel spanners type CRS

Simplex



Duplex


Zonder bout

Type	Artikelnummer Spruit	Profiel aanduiding	ISO	A	B	C1	C2	ØD	M	E	Kg. simp.	Kg. duplex	Prijs per stuk € CR	Ketting aanduiding	Passend op
CR	270RECR06	3/8" - 8	06B	74	40	10,2	20	8	M8	45	0,05	0,07	13,79	3/8" x 7/32"	TE 3
CR	270RECR08	1/2" - 10	08B	96	50	13,9	28	10	M10	60	0,11	0,15	15,25	1/2" x 5/16"	TE 4
CR	270RECR10	5/8" - 10	10B	125	55	16,5	33,0	10	M10	60	0,14	0,22	20,83	5/8" x 3/8"	TE 4
CR	270RECR12	3/4" - 12	12B	147	80	19,5	39,0	12	M12	80	0,22	0,36	29,19	3/4" x 7/16"	TE 5

Met bout

Type	Artikelnummer Spruit	Profiel aanduiding	ISO	A	B	C1	C2	ØD	M	E	Kg. simp.	Kg. duplex	Prijs per stuk € CRS	Ketting aanduiding	Passend op
CRS	270RECRS06	3/8" - 8	06B	74	40	10,2	20	8	M8	45	0,05	0,07	15,84	3/8" x 7/32"	TE 3
CRS	270RECRS08	1/2" - 10	08B	96	50	13,9	28	10	M10	60	0,11	0,15	19,07	1/2" x 5/16"	TE 4
CRS	270RECRS10	5/8" - 10	10B	125	55	16,5	33,0	10	M10	60	0,14	0,22	23,76	5/8" x 3/8"	TE 4
CRS	270RECRS12	3/4" - 12	12B	147	80	19,5	39,0	12	M12	80	0,22	0,36	32,27	3/4" x 7/16"	TE 5

o.a. = op aanvraag

Met roestvaststalen bout

Type	Artikelnummer Spruit	Profiel aanduiding	ISO	A	B	C1	C2	ØD	M	E	Kg. simp.	Kg. duplex	Prijs per stuk € CRS INOX	Ketting aanduiding	Passend op
CRS-I	270RECRS06RF	3/8" - 8	06B	74	40	10,2	20	8	M8	45	0,05	0,07	18,19	3/8" x 7/32"	TE 3
CRS-I	270RECRS08RF	1/2" - 10	08B	96	50	13,9	28	10	M10	60	0,11	0,15	21,41	1/2" x 5/16"	TE 4
CRS-I	270RECRS10RF	5/8" - 10	10B	125	55	16,5	33,0	10	M10	60	0,14	0,22	26,99	5/8" x 3/8"	TE 4
CRS-I	270RECRS12RF	3/4" - 12	12B	147	80	19,5	39,0	12	M12	80	0,22	0,36	38,13	3/4" x 7/16"	TE 5

o.a. = op aanvraag

Resatec complete spanners type CRS (ongemonteerd)
Simplex

Type	Artikelnummer Spruit	Prijs per stuk €	ISO	A	B	Kg.	Ketting aanduiding	Swingarm
TECRS 2	270RETECRS2	37,84	06B-1	18 ÷ 35	M8	0,30	3/8" x 7/32"	TE 2
TECRS 3	270RETECRS3	46,93	08B-1	23 ÷ 45	M10	0,56	1/2" x 5/16"	TE 3
TECRS 4	270RETECRS4	57,49	10B-1	24 ÷ 44	M10	0,82	5/8" x 3/8"	TE 4
TECRS 5	270RETECRS5	93,87	12B-1	30 ÷ 60	M12	2,17	3/4" x 7/16"	TE 5

o.a. = op aanvraag

Duplex




Type	Artikelnummer Spruit	Prijs per stuk €	ISO	A	B	Kg.	Ketting aanduiding	Swingarm
TECRS 2	270RETRCRSD2	51,63	06B-2	25 ÷ 30	M8	0,32	3/8" x 7/32"	TE 2
TECRS 3	270RETRCRSD3	62,19	08B-2	30 ÷ 34	M10	0,60	1/2" x 5/16"	TE 3
TECRS 4	270RETRCRSD4	78,32	10B-2	34 ÷ 46	M10	0,90	5/8" x 3/8"	TE 4
TECRS 5	270RETRCRSD5	123,05	12B-2	40 ÷ 52	M12	2,31	3/4" x 7/16"	TE 5


o.a. = op aanvraag

Triplex

Type	Artikelnummer Spruit	Prijs per stuk €	ISO	A	B	Kg.	Ketting aanduiding	Swingarm
TECRS 2	270RETRCRST2	65,41	06B-2	25 ÷ 30	M8	0,32	3/8" x 7/32"	TE 2
TECRS 3	270RETRCRST3	77,44	08B-2	30 ÷ 34	M10	0,60	1/2" x 5/16"	TE 3
TECRS 4	270RETRCRST4	99,15	10B-2	34 ÷ 46	M10	0,90	5/8" x 3/8"	TE 4
TECRS 5	270RETRCRST5	152,24	12B-2	40 ÷ 52	M12	2,31	3/4" x 7/16"	TE 5


o.a. = op aanvraag

Simplex

Duplex

Triplex


Resatec veerelement type LTS



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	D	E	Kg.	Moment bij 32° [Nm]
LTS 3-25	270RELTS3X25	16,87	25	30	27	11	5	0,08	8
LTS 3-40	270RELTS3X40	20,68	40	45	27	11	6	0,13	13
LTS 3-60	270RELTS3X60	23,91	60	65	27	11	8	0,19	19
LTS 4-30	270RELTS4X30	19,73	30	35	32	12	10	0,13	20
LTS 4-50	270RELTS4X50	23,47	50	55	32	12	12	0,22	34
LTS 4-80	270RELTS4X80	30,07	80	85	32	12	5	0,33	54
LTS 5-40	270RELTS5X40	31,68	40	45	45	22	6	0,27	56
LTS 5-60	270RELTS5X60	37,11	60	65	45	22	8	0,40	85
LTS 5-100	270RELTS5X100	48,33	100	105	45	22	10	0,66	140
LTS 6-60	270RELTS6X60	49,72	60	70	60	30	12	0,68	160
LTS 6-80	270RELTS6X80	56,32	80	90	60	30	5	0,90	215
LTS 6-120	270RELTS6X120	76,27	120	130	60	30	6	1,35	320
LTS 7-80	270RELTS7X80	79,79	80	90	72	35	8	1,20	315
LTS 7-100	270RELTS7X100	89,17	100	110	72	35	10	1,46	390
LTS 7-150	270RELTS7X150	122,03	150	160	72	35	12	2,16	580
LTS 8-120	270RELTS8X120	117,33	120	130	80	40	6	2,20	720
LTS 8-200	270RELTS8X200	164,27	200	210	80	40	8	3,50	1300
LTS 8-300	270RELTS8X300	234,67	300	310	80	40	10	5,30	2000

o.a. = op aanvraag

Resatec veerelement type LTA



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	D	ØE	F	Kg.	Moment bij 32° [Nm]
LTA 4-30	270RELTA4X30	20,17	30	35	32	18	6	12	0,10	20
LTA 4-50	270RELTA4X50	23,91	50	55	32	18	6	12	0,15	34
LTA 4-80	270RELTA4X80	30,51	80	85	32	18	6	12	0,26	54
LTA 5-40	270RELTA5X40	31,68	40	45	45	27	8	20	0,26	56
LTA 5-60	270RELTA5X60	37,55	60	65	45	27	8	20	0,37	85
LTA 5-100	270RELTA5X100	48,33	100	105	45	27	8	20	0,62	140
LTA 6-60	270RELTA6X60	49,72	60	70	60	38	10	25	0,61	160
LTA 6-80	270RELTA6X80	58,67	80	90	60	38	10	25	0,80	215
LTA 6-120	270RELTA6X120	76,27	120	130	60	38	10	25	1,15	320
LTA 7-80	270RELTA7X80	79,79	80	90	72	45	12	35	1,01	315
LTA 7-100	270RELTA7X100	100,91	100	110	72	45	12	35	3,00	390
LTA 7-150	270RELTA7X150	122,03	150	160	72	45	12	35	4,45	580
LTA 8-120	270RELTA8X120	136,11	120	130	80	50	M12x40	40	1,85	760
LTA 8-200	270RELTA8X200	194,33	200	210	80	50	M12x40	40	3,02	1370
LTA 8-300	270RELTA8X300	272,21	300	310	80	50	M12x40	40	4,48	2050

o.a. = op aanvraag

Resatec veerelement type LTK-S



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	ØD	E	F	G	H	Kg.	Moment bij 32° [Nm]
LTK-S 5-40	270RELTK-S5X40	39,45	40	45	62	22	27	6	3,0	0,30	56
LTK-S 5-60	270RELTK-S5X60	46,49	60	65	62	22	27	6	3,0	0,40	85
LTK-S 5-100	270RELTK-S5X100	61,01	100	105	62	22	27	6	3,0	0,65	140
LTK-S 6-60	270RELTK-S6X60	62,92	60	70	80	30	38	7	3,5	0,70	160
LTK-S 6-80	270RELTK-S6X80	74,14	80	90	80	30	38	7	3,5	0,90	215
LTK-S 6-120	270RELTK-S6X120	103,25	120	130	80	30	38	7	3,5	1,30	320
LTK-S 7-80	270RELTK-S7X80	O.A.	80	90	95	35	45	8	4,0	1,30	315
LTK-S 7-100	270RELTK-S7X100	O.A.	100	110	95	35	45	8	4,0	1,60	390
LTK-S 7-150	270RELTK-S7X150	O.A.	150	160	95	35	45	8	4,0	2,40	580

o.a. = op aanvraag


Resatec veerelement type LTK-A


Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	ØE	F	G	H	Kg.	Moment bij 32° [Nm]
LTK-A 5-40	270RELTK-A5X40	40,33	40	45	27	62	8	20	6	3,0	0,25	56
LTK-A 5-60	270RELTK-A5X60	48,84	60	65	27	62	8	20	6	3,0	0,35	85
LTK-A 5-100	270RELTK-A5X100	66,66	100	105	27	62	8	20	6	3,0	0,60	140
LTK-A 6-60	270RELTK-A6X60	65,71	60	70	38	80	10	25	7	3,5	0,60	160
LTK-A 6-80	270RELTK-A6X80	79,79	80	90	38	80	10	25	7	3,5	0,80	215
LTK-A 6-120	270RELTK-A6X120	103,25	120	130	38	80	10	25	7	3,5	1,20	320
LTK-A 7-80	270RELTK-A7X80	O.A.	80	90	45	95	12	35	8	4,0	1,10	315
LTK-A 7-100	270RELTK-A7X100	O.A.	100	110	45	95	12	35	8	4,0	1,40	390
LTK-A 7-150	270RELTK-A7X150	O.A.	150	160	45	95	12	35	8	4,0	2,10	580

o.a. = op aanvraag


Resatec swingelement type CH


Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	G	G max	H	H min	J	Kracht [N]	M in	Kg.
CH 6	270RECH6	394,53	138	117	65	13	100	40	180	205	290	190	120	500 - 1500	6,9	
CH 6 INOX	270RECH6RF	704,00	138	117	65	13	100	40	180	205	290	190	120	500-1500	6,9	
CH 7	270RECH7	516,27	168	142	80	13	115	48	201	225	335	235	135	1100 - 3200	13,5	
CH8	270RECH8	580,80	195	164	100	17	130	60	224	260	360	250	160	2400 - 7000	20,5	

Resatec trillingselement type OM


Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	G	H	J	K	M	W in [N]	max	Fr Freq. max in	Kg.
OM 4 R	270REOM4R	52,80	40	61	5	9	24	33	82	58	60	30	M12 R	190		1250	0,28
OM 4 L	270REOM4L	52,80	40	61	5	9	24	33	82	58	60	30	M12 L	190		1250	0,28
OM 5 R	270REOM5R	73,33	55	75	6	11	30	41	108	81	80	45	M16 R	380		780	0,58
OM 5 L	270REOM5L	73,33	55	75	6	11	30	41	108	81	80	45	M16 L	380		780	0,58
OM 6 R	270REOM6R	102,67	80	98	8	13	40	53	130	115	100	60	M20 R	780		760	1,45
OM 6 L	270REOM6L	102,67	80	98	8	13	40	53	130	115	100	60	M20 L	780		760	1,45
OM 7 R	270REOM7R	176,00	90	118	8	17	50	63	170	135	130	70	M24 R	1550		750	2,54
OM 7 L	270REOM7L	176,00	90	118	8	17	50	63	170	135	130	70	M24 L	1550		750	2,54
OM 8 R	270REOM8R	264,00	100	140	10	17	60	75	180	147	140	80	M36 R	2400		580	6,05
OM 8 L	270REOM8L	264,00	100	140	10	17	60	75	180	147	140	80	M36 L	2400		580	6,05

o.a. = op aanvraag


Resatec trillingselement type DH


Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	G	H	L	M	W in [N]	max	Fr Freq. max in	Kg.
DH 4-50 R	270REDH4-50R	41,07	40	36	12	6	24	25	50	58	55	M12 R	380		1250	0,20
DH 4-50 L	270REDH4-50L	41,07	40	36	12	6	24	25	50	58	55	M12 L	380		1250	0,20
DH 5-60 R	270REDH5-60R	58,67	55	52	20	8	30	35	60	81	65	M16 R	960		1200	0,52
DH 5-60 L	270REDH5-60L	58,67	55	52	20	8	30	35	60	81	65	M16 L	960		1200	0,52
DH 6-80 R	270REDH6-80R	102,67	80	72	25	10	40	52	80	115	90	M20 R	1900		780	1,48
DH 6-80 L	270REDH6-80L	102,67	80	72	25	10	40	52	80	115	90	M20 L	1900		780	1,48
DH 7-100 R	270REDH7-100R	176,00	90	90	35	12	50	55	100	135	110	M24 R	3400		750	2,65
DH 7-100 L	270REDH7-100L	176,00	90	90	35	12	50	55	100	135	110	M24 L	3400		750	2,65
DH 8-120 R	270REDH8-120R	269,87	100	94	40	M12x30	60	64	120	147	130	M36 R	5800		580	6,30
DH 8-120 L	270REDH8-120L	269,87	100	94	40	M12x30	60	64	120	147	130	M36 L	5800		580	6,30
DH 9-200 R	270REDH9-200R	563,20	120	120	45	M16x25	80	75	200	180	210	M42 R	11500		330	17,70
DH 9-200 L	270REDH9-200L	563,20	120	120	45	M16x25	80	75	200	180	210	M42 L	11500		330	17,70
DH 9-300 R	270REDH9-300R	680,53	120	120	45	M16x25	80	75	300	180	310	M42 R	17500		300	26,50
DH 9-300 L	270REDH9-300L	680,53	120	120	45	M16x25	80	75	300	180	310	M42 L	17500		300	26,50


o.a. = op aanvraag


Resatec Montagebeugel type MS

Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	Kg.
MS 2	270REMS2	6,75	20	20,0	2	5,5	37	50	0,03
MS 3	270REMS3	7,63	27	25,0	2	6,5	50	65	0,04
MS 4	270REMS4	8,80	32	30,0	3	8,5	60	80	0,09
MS 5	270REMS5	11,44	45	35,0	3	10,5	80	105	0,16
MS 6	270REMS6	12,91	60	40,0	5	12,5	10	125	0,29
MS 6	270REMS7	20,24	72	45,0	5	12,5	115	145	0,45
MS 8	270REMS8	29,33	78	50,0	6	17	130	170	0,68



Resatec Montagebeugel type CK

Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	G	Kg.
CK 5	270RECK5	17,31	10	40,0	3	62	92	125	10,5	0,03
CK 6	270RECK6	20,83	11	40,0	3	80	115	150	12,5	0,04




Resatec Montagebeugel type MA



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	D	E	F	G	H	J	K	L	M	N	O	Kg.
MA 2 - 3	270REMA2-3	9,09	46	50,0	30	4	30	10	27	35	12	13	10	6,5	5,5	7	0,09
MA 3 - 4	270REMA3-4	10,85	58	60,0	32	6	40	10	34	44	14	13	12	8,5	6,5	7	0,19
MA 4 - 5	270REMA4-5	12,17	75	70,0	38	6	50	10	45	55	16	16	20	10,5	8,5	9,5	0,30
MA 5 - 6	270REMA5-6	17,60	98	90,0	52	8	65	13	75	75	21	22	25	12,5	10,5	1,5	0,70
MA 6 - 7	270REMA6-7	23,47	116	110	55	8	80	15	85	85	21	24	35	16,5	12,5	14	0,90
MA 7 - 8	270REMA7-8	29,33	140	140	66	10	100	20	110	110	26	30	40	20,5	12,5	18	1,80

Resatec universeel Trillingselement type CE



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	H	Belasting G in N	Toerental RPM ne +/-	Kg.
CE - S 03 - 60	270RECES360	82,13	65	60	27	5	10	54	150	1150	0,45
CE - A 04 - 80	270RECEA480	99,73	85	80	32	6	12	64	300	800	0,60
CE - A 05 - 100	270RECEA5100	140,80	105	100	45	8	20	90	750	780	1,25
CE - A 06 - 120	270RECEA6120	206,51	130	120	60	10	25	120	1500	780	3,60
CE - S 07 - 150	270RECES7150	445,87	160	150	72	12	35	144	2800	580	4,40
CE - S 08 - 200	270RECES8200	704,00	210	200	78	12X5	40	158	5500	400	13,20
CE - SV 08 - 200	270RECESV8200	891,73	210	200	78	12X5	40	158	5500	400	13,20
CE - S 09 - 300	270RECES9300	1525,33	310	300	100	16X5	45	200	9500	320	30,50
CE - S 11 - 300	270RECES11300	2302,67	310	300	136	20X6	60	272	13500	145	59,00
CE - S 11 - 350	270RECES11350	2393,60	360	350	136	20X6	60	272	15800	145	66,00
CE - S 11 - 400	270RECES11400	2534,40	410	400	136	20X6	60	272	18000	145	72,00
CE - S 12 - 400	270RECES12400	5209,60	410	400	170	24X8	75	340	28000	110	125,00
CE - S 12 - 500	270RECES12500	5984,00	510	500	170	24X8	75	340	36000	100	149,50

Resatec Trillingsdemper type DVM



Type	Artikelnummer Spruit	Prijs per stuk €	A	B	C	ØD	E	F	G	H	H min	Draagkracht M in N	Kg.	Frequentie in Hz
DVM 2	270REDVM2	O.A.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.
DVM 3	270REDVM3	82,13	85	65	10	7,2	30	14	50	56	40	-400	0,43	7 - 11
DVM 4	270REDVM4	96,80	100	80	10	9,2	40	15	61	67	46	300-1250	0,69	7 - 10
DVM 5	270REDVM5	124,37	130	110	15	11	50	15	72	92	65	900-2100	1,64	6 - 8
DVM 6	270REDVM6	199,47	170	140	15	14	80	24	116	118	85	1500-3600	3,60	5 - 7
DVM 7	270REDVM7	347,31	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	3000-6000	o.a.	4 - 5
DVM 8	270REDVM8	498,67	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	5300-9200	o.a.	4 - 5

Resatec Trillingsdemper type G 1 - GN 1



Type	Artikelnummer Spruit	Prijs per stuk €	M x L	Ø D	Ø d	H min	h	F max kg.	Kg.
G 1 - 80	270REG1-80	27,87	-	80	6	-	18	250	0,13
G 1 - 130	270REG1-130	55,73	-	130	6	-	22	800	0,47
GN 1 - 60 M 10 x 50	270REGN1-60M10	30,80	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.
GN 1 - 80 M 12 x 80	270REGN1-80M12	33,73	M 12 X 80	80	6	30	18	250	0,21
GN 1 - 80 M 16x120	270REGN1-80M16	38,13	M 16 X 120	80	6	34	18	250	0,35
GN 1 - 130 M 20x120	270REGN1-130M20	70,40	M 20 X 120	130	6	43	22	800	0,81

Resatec Trillingsdemper type G 2 - GN 2



Type	Artikelnummer Spruit	Prijs per stuk €	M x L	Ø D	Ø d	H min	h	F max kg.	Kg.
G 2 - 80	270REG2-80	27,87	-	80	6	-	16	500	0,13
G 2 -130	270REG2-130	55,73	-	130	6	-	20	1600	0,48
GN 2 - 60 M 10 x 50	270REGN2-60	27,87	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.
GN 2 - 80 M 12 x 80	270REGN2-80M12	30,80	M 12 X 80	80	6	30	16	500	0,22
GN 2 - 80 M 16x120	270REGN2-80M16	38,13	M 16 X 120	80	6	34	16	500	0,35
GN 2 -130 M 20x120	270REGN2-130M20	70,40	M 20 X 120	130	6	43	20	1600	0,84

Resatec Trillingsdemper type K 1 - KN 1



Type	Artikelnummer Spruit	Prijs per stuk €	M x L	Ø D	Ø d	H min	h	F max kg.	Kg.
K 1 - 80	270REK1-80	61,60	-	80	6	-	16	500	0,13
K 1 -130	270REK1-130	168,96	-	130	6	-	20	1600	0,48
K 1 -170	270REK1-170	300,37	-	o.a.	o.a.	o.a.	o.a.	o.a.	o.a.
KN 1 - 80 M 16x120	270REKN1-80M16	85,80	M 16 X 120	80	6	30	16	500	0,22
KN 1 - 80 M 20 x 80	270REKN1-80M20	99,73	M 20 X 80	80	6	34	16	500	0,35
KN 1 -130 M 20x120	270REKN1-130M20	178,35	M 20 X 120	130	6	43	20	1600	0,84

Resatec Trillingsdemper type K 2 - KN 2



Type	Artikelnummer Spruit	Prijs per stuk €	M x L	Ø D	Ø d	H min	h	F max kg.	Kg.
K 2 -130	270REK2-130	220,59	M 12 X 80	80	6	30	16	500	0,22
K 2 -170	270REK2-170	436,48	M 16 X 120	80	6	34	16	500	0,35
KN 2 - 80 M 16x120	270REKN2-80	117,33	M 20 X 120	130	6	43	20	1600	0,84
KN 2 -130 M 20x120	270REKN2-130	234,67	M 20 X 121	130	6	43	20	1600	0,84

Resatec Stelvoeten type VP


Type	Artikelnummer Spruit	Prijs per stuk €	Ø D	H	h	M x L	F max kg.	Kg.
VP-50 M10 x 30	270REVP-50/30	7,63	50	35	20	M10 X 30	400	0,07
VP-50 M10 x 60	270REVP-50/60	7,92	50	35	20	M10 X 60	400	0,08
VP-50 M12 x 65	270REVP-50/65	8,51	50	35	20	M12 X 65	500	0,10
VP-50 M16 x 70	270REVP-50/70	9,83	50	37	20	M16 X 70	600	0,15
VP-50 M16 x 120	270REVP-50/120	9,97	50	37	20	M16 X 120	600	0,22
VP-60 M10 x 60	270REVP-60/60	8,07	60	35	20	M10 X 60	400	0,07
VP-60 M12 x 65	270REVP-60/65	8,65	60	35	20	M12 X 65	500	0,10
VP-60 M16 x 70	270REVP-60/70	9,97	60	37	20	M16 X 70	600	0,16
VP-60 M16 x 120	270REVP-60/120	12,47	60	37	20	M16 X 120	600	0,23
VP-80 M10 x 60	270REVP-80/60	9,09	80	35	20	M10 X 60	800	0,09
VP-80 M12 x 65	270REVP-80/65	9,68	80	35	20	M12 X 65	800	0,11
VP-80 M16 x 70	270REVP-80/70	11,00	80	37	20	M16 X 70	800	0,17
VP-80 M16 x 120	270REVP-80/120M1	12,03	80	37	20	M16 X 120	800	0,24
VP-80 M20 x 120	270REVP-80/120M2	11,15	80	37	20	M20 X 120	800	0,34
VP-100 M16 x 70	270REVP-100/70	11,15	100	37	20	M16 X 70	800	0,19
VP-100 M16 x120	270REVP-100/120	11,29	100	37	20	M16 X 120	800	0,26
VP-100 M20 x 70	270REVP100/70M2	10,41	100	37	20	M20 X 70	800	0,30
VP-100 M20 x120	270REVP100/120M2	10,71	100	37	20	M20 X 120	800	0,36

Resatec Stelvoeten type IP



Type	Artikelnummer Spruit	Prijs per stuk €	Ø D	H	h	M x L	F max kg.	Kg.
IP-50 M10x 60	270REIP10/60	19,51	50	35	20	M10 X 60	500	0,10
IP-50 M12 x 65	270REIP50/65	19,68	50	35	20	M12 X 65	500	0,10
IP-50 M16 x 70	270REIP-50/70	20,54	50	37	20	M16 X 70	600	0,15
IP-50 M16 x 120	270REIP-50/120	30,38	50	37	20	M16 X 120	600	0,22
IP-60 M10 x 60	270REIP-60/60	19,68	60	35	20	M10 X 60	400	0,07
IP-60 M12 x 65	270REIP-60/65	20,11	60	35	20	M12 X 65	500	0,11
IP-60 M16 x 70	270REIP-60/70	21,41	60	37	20	M16 X 70	600	0,16
IP-60 M16 x 120	270REIP-60/120	31,25	60	37	20	M16 X 120	600	0,23
IP-80 M12 x 65	270REIP-80/65	21,99	80	35	20	M12 X 65	800	0,12
IP-80 M16 x 70	270REIP-80/70	23,15	80	37	20	M16 X 70	800	0,17
IP-80 M16 x 120	270REIP-80/120M1	33,28	80	37	20	M16 X 120	800	0,24
IP-80 M20 x 120	270REIP-80/120M2	41,09	80	37	20	M20 X 120	800	0,34
IP-100 M16 x 70	270REIP-100/70	25,17	100	37	20	M16 X 70	800	0,19
IP-100 M16 x 120	270REIP-100/120	35,30	100	37	20	M16 X 120	800	0,25
IP-100 M20 x 120	270REIP-100/M201	42,82	100	37	20	M20 X 120	800	0,36

Resatec Stelvoeten type KP



Type	Artikelnummer Spruit	Prijs per stuk €	Ø D	H	h	M x L	F max kg.	Kg.
KP-50 M16x 70	270REKP-50/70	8,51	60	39	20	M16x70	400	0,05
KP-60 M16 x 70	270REKP-60/70	8,97	60	39	20	M16 X 70	400	0,05
KP-60 M20 x 70	270REKP-60/M27	9,84	60	39	20	M20 X 70	400	0,06
KP-60 M20 x 120	270REKP-60/M21	10,71	60	39	20	M20 X 120	400	0,08
KP-80 M16 x 70	270REKP-80/70	10,42	80	39	20	M16 X 70	600	0,06
KP-80 M20 x 70	270REKP-80/M27	11,28	80	39	20	M20 X 70	600	0,07
KP-80 M20 x 120	270REKP-80/M21	12,15	80	39	20	M20 X 120	600	0,09
KP-100 M16 x 70	270REKP-100/M17	12,44	100	39	20	M16 X 70	600	0,08
KP-100 M20 x 70	270REKP-100/M27	13,31	100	39	20	M20 X 70	600	0,09
KP-100 M20 x 120	270REKP-100/M21	14,47	100	39	20	M20 X 120	600	0,11

Resatec Stelvoeten, Onderdelen

Type	Artikelnummer Spruit	Prijs per stuk €
Kogelvoetschroef verzinkt		
KKV M10x30	270REKKVM10X30	5,57
KKV M10x60	270REKKVM10X60	5,87
KKV M12x65	270REKKVM12X65	6,45
KKV M16x70	270REKKVM16X70	7,77
KKV M16x120	270REKKVM16X120	7,92
KKV M20x70	270REKKVM20X70	7,04
KKV M20x120	270REKKVM20X120	10,27
Kogelvoetschroef INOX A2		
270REKKIM10X60	270REKKIM10X60	15,84
270REKKIM12X65	270REKKIM12X65	16,13
270REKKIM16X70	270REKKIM16X70	17,60
270REKKIM16X120	270REKKIM16X120	26,40
270REKKIM20X120	270REKKIM20X120	35,20
Kogelvoetschroef Kunststof PA		
KKK M16x70	270REKKKM16X70	4,69
KKK M20x70	270REKKKM20X70	5,28
KKK M20x120	270REKKKM20X120	6,45
Stelmoer verzinkt		
KKV M10	270REKKVM10	0,29
KKV M12	270REKKVM12	0,44
KKV M16	270REKKVM16	0,73
KKV M20	270REKKVM20	1,17
Stelmoer Inox A2		
KMI M10	270REKIMM10	0,59
KMI M12	270REKIMM12	0,88
KMI M16	270REKIMM16	1,47
KMI M20	270REKIMM20	2,64
Dempingsplaat PUR		
PUR 50	270REPUR50	3,81
PUR 60	270REPUR60	4,69
PUR 80	270REPUR80	8,51
PUR 100	270REPUR100	11,73
Dempingsplaat NBR		
NBR 50	270RENBRS50	3,81
NBR 60	270RENBRS60	4,40
NBR 80	270RENBRS80	8,51
NBR 100	270RENBRS100	11,73



Type	Artikelnummer Spruit	Prijs per stuk €	AA	BB	A	G	I	O	KG
MB-50-132S/M-A01	270REMB50-132	1760,00	216	140 - 178	325	108	235	43	28,3
MB-50-160M/L A01	270REMB50-160	1930,13	254	210 - 254	405	127	315	45	33,9
MB-50-180M/L-A01	270REMB50-180	1877,33	279	241 - 279	455	139,5	365	72	38,9
MB-50-200M/L-A01	270REMB50-200	2288,00	318	305	505	159	415	72	44,4
MB-50-225S/M-A01	270REMB50-225	2581,33	356	286 - 311	605	178	515	72	48,4





Spruit Transmissies B.V.

Ivoorstraat 4

1812 RE ALKMAAR

Tel. +31-(0)72-5412000

Fax. +31-(0)72-5412054

Internet: www.spruit.nl

E-mail: spruit@spruit.nl

