## Leonardo da Vinci Project



# Sustainability in commercial laundering processes

Module 1 Usage of water

Chapter 3a

Fresh water supply

#### Content



- Water
- Water hardness
- Effect of water hardness on washing process and textiles
- Heavy metals
- Effect of heavy metals on washing process and textiles

#### Learning targets




#### After finishing the chapter, you will

- be able to explain the properties of water
- know and be able to explain the role of the water during the washing process
- know what water hardness means
- know and be able to point out effects of water hardness on washing process
- know and be able to explain the effect of water hardness on textiles
- Know the origin of heavy metals in washing process
- be able to argue the effects of heavy metals on washing performance

## Water – properties



- Sequence swapped chart 5 to 4
- colourless liquid
- chemical formula H<sub>2</sub>O
- angular ordered molecule



- irregular distribution of charge
- dipole
- interaction with other dipoles or ions
- hydrogen bonds
- polar solvent

#### Role of water during the washing process



#### Here is a text deleted

#### Role of water

- Solvent
  - for water-soluble soil
  - for detergent
- Energy transfer to the textiles
  - mechanical energy (liquor flow)
  - thermal energy (liquor heating)
- Transportation
  - detergents to the textiles
  - soil from the textiles

#### Water – substances



- Natural water contains dissolved substances in variable quantities, such as
  - carbon dioxide
  - nitrogen and sulphur dioxide from the air
  - calcium, magnesium and iron salts
  - traces of other alkaline
  - chlorides, sulphates, phosphates, silicates
  - acid compounds from earth
  - germs
- They may cause harmful effects in laundry processes

#### Water – substances



- Calcium and magnesium salts destroy structure of soaps and inactivate surfactants
- Oxygen and carbon dioxide cause corrosion in boilers and pipes
- iron compounds discolour fabric
- These substances must therefore be removed as far as possible
  - careful analysis of water supply is necessary to decide the most appropriate method of removal in each case
- Probably the greatest problem is water hardness

## Laundry water - requirements



- clear water, odorless
- zero hardness or hardness nearing zero
- minimum metal content / Fe, Mn, Cu, e.g.
  - Fe < 0.1 mg/l
  - Mn < 0.03 mg/l
  - Cu < 0.05 mg/l
  - Fe max. 0,1 mg/L, which means "no" Fe
- pH between 6 9,5

## Definition of water hardness chart before is removed



Water Hardness - amount of alkaline earth ions in mmol per liter of water

What are alkaline earth (metals)?

Metals of second group of the table of the elements

- Beryllium
- Magnesium
- Calcium
- Strontium
- Barium
- Radium

most important elements

#### Measurement of water hardness



#### **Hardness degrees**

1 mmol CaO/l = 56 mg CaO/l = 5.6 °d 1 °d = 10 mg CaO/l = 0.18 mmol CaO/l

°d = German hardness degree

°e = English hardness degree

°f = French hardness degree

#### Hardness scale



#### **Sequence! Chart no 17**

	mmol/L	°d	°e	প
WHI	0 - 1,3	0 - 7	0 - 5.6	0 - 3.9
WH II	1,3 - 2,5	7 - 14	5.6 - 11.2	3.9 - 7.82
WH III	2,5 - 3,8	14 - 21	11.2 -16.8	7.82 - 11.73
WH IV	> 3,8	> 21	> 16.8	> 11.73

also see chart 10

#### Relation of water hardness and origin of water



Sequence! Chart no 17

Origin

hardness scale

lake

 $\rightarrow$  soft

river

 $\rightarrow$  soft

spring water

→ soft to hard

ground water

→ soft to hard

tap water

→ soft to hard

## Origin of water hardness



- Water hardness is caused by dissolved inorganic salts
  - calcium and magnesium salts
  - iron and manganese
  - acid standard carbonates, sulphates and chlorides

- There are two types of hardness
  - Temporary (carbonate) hardness
  - Permanent (non-carbonate) hardness



## Total Hardness =

## Temporary Hardness + Permanent Hardness

#### Water hardness



#### Temporary (carbonate) hardness

- caused due to presence of acid carbonates
- dissociated carbonic acid H<sub>2</sub>CO<sub>3</sub>/HCO<sub>3</sub>- + H<sup>+</sup>
- removable by heating
- due to the heating process
  - part of the carbon dioxide evaporates
  - acid carbonates (HCO<sub>3</sub>) react with Ca<sup>2+</sup>/Mg<sup>2+</sup>-ions to poorly soluble standard carbonates
  - those coagulate as flakes (scale)

#### Water hardness



#### Permanent (non-carbonate) hardness

- remaining anions (chlorides, sulphates)
- no heavily soluble compounds accumulation
- no removal by heating
- kind of anions have no impact on water hardness


## Temporary and permanent hardness



- Temporary hardness (Carbonate hardness)
  - Ca-/Mg-hydrogen carbonates
  - T > 60 °C: precipitation of hydrogen carbonates as carbonates
  - $Ca(HCO_3)_2 \rightarrow CaCO_3 + H_2O + CO_2$
- Permanent hardness (Non-carbonate hardness)
  - Ca-/Mg- sulfates
  - Ca-/Mg- chlorides
  - Ca-/Mg- nitrates

# Water hardness influence on washing efficiency






Washing efficiency decreases in relation to increasing water hardness – independent from applied type of detergent

# Water hardness detergent's dosage





at higher water hardness values, higher detergent dosage application is necessary



If T > 60 ℃ calcium and magnesium carbonate precipitate


$$Ca(HCO_3)_2 \rightarrow CaCO_3 + H_2O + CO_2$$
  
Calcium carbonate





- Calcium and magnesium precipitate lead to
  - residues on the laundry
  - greying
  - high ash content/textile incrustation
  - mechanical fibre damage (due to sharp edges of micro-crystals)
  - sediments on the tube walls and electrical heating coils (Scale depositions)
  - cog-up of tubes, damage of heating coils

see illustrations on following charts









heating coil with scale depositions

micro-crystals



In presence of soaps/soap-based detergents, calcium and magnesium ions compose insoluble soap salts

- ⇒ insoluble soap salts precipitate
- ⇒ wash-active substances concentration in liquor decreases

Precipitated soap salts build a hydrophobic film on the fibre surfaces

- ⇒ greying of fibres
- ⇒ hydrophobic film on fibre surface
- ⇒ reduced up-take of water by textile



There exists no common definition about what heavy metals are.

- Talking about heavy metals, we usually mean:
   Iron (Fe), copper (Cu), lead (Pb), stannous (Zn),nickel (Ni),
   Cadmium (Cd), Chrome (Cr)
- Degradation of heavy metals means environmental burden

#### Sources of heavy metals

- Water
- corrosion of pipes and tanks
- steam pipes
- textile goods
- accumulation of heavy metals in textiles
- → remove commas and dots



#### **Presence in water supply**

- heavy metals concentration in surface waters can diversify by several orders of magnitude within short time intervals
- particularly harmful for the washing process are
   Fe<sup>2+</sup>, Mn<sup>2+</sup>, Cu<sup>2+</sup> ions
- the only satisfactory method is to treat the water for removal of iron and manganese ions
  - usually involves aeration and filtration
  - possibly with chemical dosage after aeration



#### **Corrosion of pipes and tanks**

- Very soft water from municipal supply or water after softening is relative corrosive
- It tends to attack iron pipes and tanks, particularly if the water contains dissolved gases

#### **Prevention**

- the tanks and piping may be treated with sodium silicate (water glass) to avoid rust flaking
- equivalent to 15 mg/dm³



#### Iron from steam pipes

- iron spots may be caused by specks of iron rust blown from corroded steam pipes onto the textiles
- this trouble is sometimes experienced after an old system has been disturbed by installing a new machine

#### **Solution**

replacing the old system is probably the only cure for this trouble

## Heavy metals in textile goods



- Textile goods sometimes contain heavy metals which are, therefore, carried into the wash
- disturb the washing and bleaching process
- presence of heavy metals in
  - soil and falling dust (Cd, Pb, Zn, Mn, Fe, and Ni)
  - dyestuffs (Cr, Ni, Cu, and Co)
- Some un-dyed wools contain sometimes iron when first obtained
- Wool is more susceptible to minute traces of iron in water than cotton and linen
- Wool has the property of accumulating iron from wash to wash



- deposition on textiles
- yellowing of textiles
- catalytic decomposition of peroxides (destruction of bleaching activity)
- depolymerization of cellulose



#### Deposition of **heavy metals** on textiles

 Heavy metal ions (Fe<sup>2</sup>+, Mn<sup>2</sup>+) in presence of alkalis are oxidised and deposited on textiles

$$2 \text{ Fe}(HCO_3)_2 + H_2O + \frac{1}{2}O_2 \rightarrow 2 \text{ Fe}(OH)_3 \downarrow + 4 CO_2 \uparrow$$

$$2 \text{ Mn } (HCO_3)_2 + 2 H_2O + O_2 \rightarrow 2 \text{ Mn}(OH)_4 \downarrow + 4 CO_2 \uparrow$$

$$Mn(OH)_4 \rightarrow MnO_2 \downarrow + 2 H_2O$$



#### Yellowing of textiles

- General yellowish discoloration can arise in the following ways:
  - presence of iron, manganese and copper in original water supply
  - iron from material washed
- Patchy yellow discoloration can arise from:
  - iron from steam pipes
  - flushes of iron rust in the water



#### Catalytic decomposition of peroxides

- during bleaching in presence of transition metal ions particularly Fe<sup>3+</sup>, Mn<sup>2+</sup>, and Cu<sup>2+</sup>
- ⇒ Prevention aqueous hydrogen peroxide must be stabilized with complexing agents sequestering the transition metal cations


#### **Depolymerization of cellulose**

- presence of metal particles from the shuttle looms can lead to presence of oxycellulose,
- resulting later in textile damage

### Effect of Fe ions in rinsing

yellowing of cotton fabric






Yellowing of fabric is caused by higher concentration of Fe-ions in water

## Effect of water hardness on yellowing






cotton after washing cycles with water of different hardness degrees

## Influence of Mn-ions on washing efficiency





Presence of Mn-ions lead to decreasing washing efficiency. Constant results can only be kept by application of considerably heightening of detergents dosage.